

NAK STANDARD

WP2

APPLICATION : WIPER

MATERIAL : PU

UNIT: INCH



Shaft diam.	Bore diam.	Width diam	Drawing no.
0.375	0.687	0.194/0.245	U5329
0.500	0.812	0.194/0.245	U5331
0.625	0.937	0.194/0.245	U5333
0.750	1.062	0.194/0.245	U5335
0.875	1.250	0.205/0.265	U5337
0.937	1.312	0.205/0.265	U9617
1.000	1.375	0.205/0.265	U5339
1.125	1.500	0.205/0.265	U5341
1.187	1.562	0.205/0.265	U5342
1.250	1.625	0.205/0.265	U5343
1.375	1.750	0.205/0.265	U5345
1.500	1.875	0.205/0.265	U5347
1.625	2.000	0.205/0.265	U5349
1.750	2.125	0.205/0.265	U5351
1.875	2.250	0.205/0.265	U5353
2.000	2.375	0.205/0.265	U5355
2.125	2.500	0.205/0.265	U5357
2.250	2.750	0.268/0.325	U5359
2.375	2.875	0.268/0.325	U5361
2.500	3.000	0.268/0.325	U5363
2.625	3.125	0.268/0.325	U5365
2.750	3.250	0.268/0.325	U5367
2.875	3.375	0.268/0.325	U5369
3.000	3.500	0.268/0.325	U5371
3.125	3.625	0.268/0.325	U5372
3.250	3.750	0.268/0.325	U5373
3.375	3.875	0.268/0.325	U5374
3.375	3.875	0.281	

Shaft diam.	Bore diam.	Width diam	Drawing no.
3.500	4.000	0.268/0.325	U5376
3.625	4.125	0.268/0.325	U5377
3.687	4.187	0.268/0.325	U5378
3.750	4.250	0.268/0.325	U5379
3.875	4.375	0.268/0.325	U5380
3.875	4.375	0.281	
4.000	4.500	0.268/0.325	U5381
4.125	4.625	0.268/0.325	U5382
4.250	4.750	0.268/0.325	U5383
4.375	4.875	0.268/0.325	U5384
4.500	5.000	0.268/0.325	U5386
4.625	5.125	0.268/0.325	U5387
4.750	5.250	0.268/0.325	U5388
4.875	5.375	0.268/0.325	U5389
5.000	5.500	0.268/0.325	U5390
5.250	5.750	0.268/0.325	U5391
5.500	6.000	0.268/0.325	U5392
5.750	6.250	0.268/0.325	U5393
6.000	6.495	0.281/0.375	U5313
6.000	6.500	0.268/0.325	U5394
6.250	6.750	0.268/0.325	U5395
6.500	7.000	0.268/0.325	U5396
6.750	7.250	0.268/0.325	U5397
7.000	7.500	0.268/0.325	U5398

E4

NAK STANDARD

WP2

APPLICATION : WIPER
 MATERIAL : PU
 UNIT: METRIC



E4

Shaft diam.	Bore diam.	Width diam	Drawing no.
12.5	20.5	4.5/6	U7279
12.7	19	3/5	U5638
15	21	3.5/5	U00227
15	23	4.5/6	U5910
16	22	3/5	U5561
16	24	3/5	U5446
16	24	4.5/6	U00233
16	24	5/7	U4255
17	23.6	3.8/5.5	U8298
19	25.5	2.5/4.7	U6387
20	26	3.2/5	U5878
20	28	5/7	U4256
22	30	5/8.5	U7698
25	33	5/7	U4257
25	33	5/8	U8138
28	36	5/7	U4258
30	38	5/7	U4259
31.8	41.3	4.8/7.1	U0664
35	43	5/7	U4260
36	44	5/8	U8139
38.1	47.6	4.8/7.1	U0663
40	50	7/12	U9585
44.45	50.8	6.35/9.53	U9676
46	54.5	2.9/5	U5011
47	55.6	5.3/7	U7254
50	58	5/6.5	U4980
50	62	5/7	U00259
55	63	5/6.5	U7589

Shaft diam.	Bore diam.	Width diam	Drawing no.
56	66	6/10	U5670
60	68	5/6.5	U4981
60	68.5	2.8/5	U5717
60	70	6/10	U5187
60	70	7/12	U7725
61	67	5.3/7	U0263
63	73	6.1/8.3	U1252
69.5	78	2.8/5	U4809
76	82	5.3/7	U0266
80	89	3.8/6	U5718
90	98.5	3.8/6	U5084
90	100	6.8/10	U5581
91	97	5.3/7	U0264
100	109	3.8/6	U6904
100	110	6/8	U9086
100	112.2	7.2/12	U8516
107	113	5.3/7	U0265
110	119.5	3.8/6	U6905
117.5	127	3.8/6	U5207
140	148.6	6/9	U8262
140	149.5	3.8/6	U6903
160	172.2	7.1/11	U7706
160	175	9/14	U5672
180	200	10/18	U0434

NAK STANDARD

WP2

APPLICATION : WIPER

MATERIAL : PU

UNIT: INCH



Shaft diam.	Bore diam.	Width diam	Drawing no.
0.781	1.028	0.100/0.174	U5076
1.000	1.375	0.187/0.305	U7767
1.250	1.625	0.177/0.283	U5690
1.375	1.750	0.187/0.305	U7768
1.496	1.850	0.177/0.276	U7213
1.500	1.825	0.098/0.173	U5692
1.516	1.875	0.179/0.283	U5077
1.625	2.000	0.187/0.305	U7769
1.750	2.125	0.181/0.287	U5691
1.875	2.250	0.187/0.305	U7770
2.000	2.500	0.240/0.378	U5689
2.000	2.500	0.250/0.395	U9685
2.250	2.750	0.250/0.395	U7772
2.500	3.000	0.250/0.395	U7771
3.000	3.500	0.250/0.395	U7773
3.750	4.122	0.109/0.196	U5189
5.250	5.678	0.125/0.223	U5188
6.500	7.250	0.375/0.563	U5176
6.500	7.500	0.500/0.750	U5086
6.750	7.250	0.141/0.250	U5190
6.969	8.000	0.488/0.787	U9649
7.000	8.000	0.500/0.750	U5166

Shaft diam.	Bore diam.	Width diam	Drawing no.

E4