


IDI (ISI/RU) ROD SEAL




APPLICATION	
MATERIAL	PU
TEMP.	-40°C~120°C
PRESSURE	400kgf/cm ²
SPEED	1m/s

ITEM	ID	OD	h
IDI-010	10	16	4.5
IDI-020	20	28	5
IDI-022.4	22.4	30	5
IDI-022.4	22.4	30.4	5
IDI-023.5	23.5	31.5	5
IDI-025	25	33	5
IDI-025	25	35	5
IDI-028	28	35.5	5
IDI-028	28	36	5
IDI-030	30	40	6
IDI-031.5	31.5	41.5	6
IDI-032	32	42	6
IDI-035	35	45	6
IDI-035.5	35.5	45	6
IDI-035.5	35.5	45.5	6
IDI-040	40	50	6
IDI-045	45	55	6
IDI-045	45	56	7
IDI-050	50	60	6
IDI-053	53	63	6
IDI-055	55	65	6
IDI-056	56	66	6
IDI-058	58	68	6
IDI-060	60	70	6
IDI-060	60	71	6
IDI-063	63	73	6
IDI-065	65	75	6
IDI-067	67	77	6
IDI-070	70	80	6
IDI-071	71	81	6
IDI-075	75	85	6

IDI-080	80	90	6
IDI-085	85	100	9
IDI-090	90	105	9
IDI-095	95	110	9

IDI (ISI/RU) ROD SEAL



APPLICATION	
MATERIAL	PU
TEMP.	-40°C~120°C
PRESSURE	400kgf/cm ²
SPEED	1m/s

ITEM	ID	OD	h
IDI-098	98	112	8.5
IDI-100	100	115	9
IDI-105	105	120	9
IDI-106	106	120	8.5
IDI-106	106	121	9
IDI-110	110	125	9
IDI-112	112	125	9
IDI-115	115	130	9
IDI-118	118	133	9
IDI-120	120	135	9
IDI-125	125	140	9
IDI-130	130	145	9
IDI-135	135	150	9
IDI-136	136	150	8.5
IDI-140	140	155	9
IDI-145	145	160	9
IDI-150	150	165	9
IDI-156	155	170	9
IDI-160	160	175	9
IDI-165	165	180	9
IDI-170	170	185	9
IDI-175	175	190	9
IDI-180	180	200	12
IDI-190	190	210	12
IDI-200	200	220	12

IDI-204	204	224	12
IDI-210	210	230	12
IDI-220	220	240	12
IDI-225	225	245	12
IDI-230	230	250	12
IDI-240	240	260	12
IDI-250	250	270	12
IDI-260	260	285	16
IDI-270	270	295	16
IDI-280	280	305	16
IDI-290	290	315	16
IDI-300	300	325	16