



RU2 (UR) ROD SEAL



APPLICATION	
MATERIAL	PU
TEMP.	-40°C~120°C
PRESSURE	400kgf/cm ²
SPEED	1m/s

ITEM	ID	OD	h	H
RU2-016	16	24	5	5.7
RU2-018	18	26	5	5.7
RU2-020	20	26	5	5.5
RU2-020A	20	28	5	5.7
RU2-022.4	22.4	30	5	5.7
RU2-025	25	33	5	5.7
RU2-028	28	36	5	5.7
RU2-020B	20	30	6	7
RU2-025A	25	35	6	7
RU2-030	30	40	6	7
RU2-035	35	45	6	7
RU2-040	40	48	6	7
RU2-040A	40	50	6	7
RU2-045	45	55	6	7
RU2-055	55	65	6	7
RU2-056	56	66	6	7
RU2-065	65	75	6	7
RU2-070	70	80	6	7
RU2-075	75	85	6	7
RU2-045A	45	56	7	8
* RU2-025B	25	35	7.3	8
RU2-036	36	46	7.3	8
RU2-040B	40	50	7.3	8
RU2-045B	45	55	7.3	8
RU2-050	50	60	7.3	8
RU2-040C	40	52	8	9
RU2-055A	55	70	9	10
RU2-060	60	75	9	10
RU2-065A	65	80	9	10
RU2-070A	70	85	9	10
RU2-075	75	90	9	10
RU2-080	80	95	9	10
RU2-085	85	100	9	10
RU2-090	90	105	9	10
RU2-095	95	110	9	10


RU2 (UR) ROD SEAL



APPLICATION	
MATERIAL	PU
TEMP.	-40°C~120°C
PRESSURE	400kgf/cm ²
SPEED	1m/s

ITEM	ID	OD	h	H
RU2-100	100	115	9	10
RU2-105	105	120	9	10
RU2-110	110	125	9	10
RU2-115	115	130	9	10
RU2-038	38	50	10	11
RU2-055B	55	68	10	11
RU2-060A	60	70	10	11
RU2-060B	60	73	10	11
RU2-065B	65	78	10	11
RU2-065C	65	80	10	11
RU2-070B	70	83	10	11
RU2-075A	75	88	10	11
RU2-075B	75	90	10	11
RU2-070C	70	85	10	11
RU2-080A	80	93	10	11
RU2-080B	80	95	10	11
RU2-085A	85	100	10	11
RU2-090A	90	105	10	11
RU2-095A	95	110	10	11
RU2-100A	100	115	10	11
RU2-105A	105	120	10	11
RU2-110A	110	130	10	11
RU2-120	120	140	10	11
RU2-130	130	145	10	11
RU2-050A	50	65	11.4	12.5
RU2-055C	55	70	11.4	12.5
* RU2-060C	60	75	11.4	12.5
* RU2-070D	70	85	11.4	12.5
RU2-055D	55	70	11.8	13
RU2-065D	65	80	11.8	13
* RU2-075C	75	85	11.8	13
RU2-060D	60	80	12	13
RU2-065E	65	85	12	13
RU2-070E	70	80	12	13
RU2-070F	70	90	12	13

RU2 (UR) ROD SEAL



APPLICATION	
MATERIAL	PU
TEMP.	-40°C~120°C
PRESSURE	400kgf/cm ²
SPEED	1m/s

ITEM	ID	OD	h	H
RU2-075D	75	95	12	13
RU2-080C	80	100	12	13
RU2-085B	85	105	12	13
RU2-090B	90	105	12	13
RU2-090C	90	110	12	13
RU2-095B	95	110	12	13
RU2-095C	95	115	12	13
RU2-100B	100	115	12	13
RU2-100C	100	120	12	13
RU2-105B	105	125	12	13
RU2-110B	110	130	12	13
RU2-115A	115	135	12	13
RU2-120A	120	140	12	13
RU2-130A	130	150	12	13
RU2-150B	150	170	12	13
RU2-170F	170	190	12	13
RU2-100D	100	120	15	16
RU2-105C	105	125	15	16
RU2-110C	110	125	15	16
RU2-110D	110	130	15	16
RU2-120B	120	135	15	16
RU2-115B	115	135	16	17
RU2-130B	130	150	16	17