

# NAK STANDARD

# UIP

APPLICATION: ROD  
MATERIAL: PU  
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
4	7	4.2	U2686
4	7.4	3.5/3	U8701
4	7.4	3.5	U9489
4	9	3.5	U3984
4	12	6	U9064
6	10	3.5/3	U8702
6	10	3.5	U9490
6	12	5.3	U6824
6	13	5	U0656
6	14	5.7	U1436
8	14	4	U2597
8	14	5	U3540
8	16	4.5	U1743
8	16	5.7	U0122
8	16	8	U1526
8	18	8	U6880
9	14.5	5.7	U7006
9.5	14	2.5	U2007
9.9	20	4.5	U7643
10	16	4.5	U1437
10	16.8	4.5	U1745
10	17	4.5	U1371
10	18	5.7	U0876
10	20	4.5	U1746
10	20	6	U1737
10	20	7.2	U1132
10	20	8	U6825
10	20	10	U9119

Shaft diam.	Bore diam.	Width diam	Drawing no.
10	21	4.5	U1736
11.5	16	3.6	U8226
12	17	3.5	U7395
12	18	8	U9120
12	19	5.5	U7200
12	20	5.7	U0180
12	22	7.2	U1528
12	22	8	U1524
12.5	20	3	U1734
12.5	21	4.6	U1735
13	19	4	U4062
14	18.3	3	U7393
14	21	5	U4618
14	22	5.7	A0628
14	22	6	U9078
14	24	7.2	U1525
14	24	8	U1527
15	23	5.7	U0963
15	25	8	U1438
16	20.6	3.3	U6889
16	22	5	U0113
16	22	5.5	U6827
16	23	4.5	U8227
16	24	5.7	A0617
16	24	6.2	U6826
16	26	7.2	U1439
16	26	8	U3280
16	26	9	U1440

# NAK STANDARD

# UIP

**APPLICATION: ROD**  
**MATERIAL: PU**  
**UNIT: METRIC**



Shaft diam.	Bore diam.	Width diam	Drawing no.
18	24	4.7	U6834
18	24	5	U3447
18	26	5	U5761
18	26	5.7	U1191
18	26	8	U1316
18	28	7.2	U0096
18	28	8	U0002
19	27	6	U5871
20	26	5	U1643
20	27	6	U0134
20	28	5.7	U0011
20	28	6.2	U0114
20	28	6.6	U8441
20	28	7.2	U6833
20	30	5	U9085
20	30	5.7	U7550
20	30	7	U8553
20	30	7.2	U1049
20	30	8	A0198
20	30	10	U1195
20	32	7.5	U6914
20	35	10	U6913
22	28	4	U9046
22	30	5.7	U0099
22	30	7	U1529
22	30	8	U1235
22	32	5	U9045
22	32	7.2	U0497

Shaft diam.	Bore diam.	Width diam	Drawing no.
22	32	8	U0901
22	32	9	U6912
22	32	10	U6832
22.22	28.57	4.76	U8378
22.4	30	5	U00213
23	31	5	U8248
24	32	5	U9146
24	32	6	U9113
24	34	7.2	U6831
24	34	8.5	U6830
25	32	5.7	U5668
25	32	6	U5567
25	33	5.7	A0598
25	33	6.2	U2520
25	33	7.2	A0608
25	33	8	U1835
25	33	10	U1193
25	35	5	U9048
25	35	7.2	U0787
25	35	8	U0902
25	35	10	U0417
25	38	9	U6854
25	40	10	U4560
28	36	5.5	U00248
28	36	5.7	U1236
28	38	7.2	U0135
28	38	8	U0875
28	38	10	U6853

**E1**

# NAK STANDARD

# UIP

APPLICATION: ROD  
MATERIAL: PU  
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
28	39	8	U00236
28	40	8.5	U6852
28	40	10	U1836
28	43	11.5	U1196
29	35	4.8	U6851
30	37	5	U9047
30	37	6	U9077
30	38	5/7	U6999
30	38	5.7	U0012
30	38	8	A0614
30	40	5.7	U5719
30	40	6	U9076
30	40	7	U0119
30	40	7.2	U1031
30	40	8	U9084
30	40	9.5	U5720
30	40	10	U0100
30	42	8.5	U8077
30	43	9	U6926
30	43	10	U00060
30	45	8	U6570
30	45	10	U4562
30.95	45.24	10.31	U2540
32	40	5.5	U5758
32	40	5.7	U0101
32	40	6	U7379
32	40	8	U0120
32	42	7	U1837

Shaft diam.	Bore diam.	Width diam	Drawing no.
32	42	7.2	U0019
32	42	7.3	
32	42	8	U2542
32	42	10	U0102
32	42.53	8.5	U6192
32	45	9.5	U6199
32	45	10	U2017
32	47	10	A0659
32	48	10	U7375
33	43	10	U6222
35	42	6	U9097
35	42	7	U9114
35	43	5.7	U0013
35	43	8	U0442
35	45	6	U6221
35	45	7	U3424
35	45	7.2	U0133
35	45	8	U9157
35	45	10	U0026
35	45	13	U6226
35	46	8	U6193
35	46	9	U6194
35	47	8.5	U6225
35	50	10	U0005
35	54	8	U9144
35	55	12	U5991
36	44	5.7	U0095
36	44	8	U6224

# NAK STANDARD

# UIP

**APPLICATION: ROD**  
**MATERIAL: PU**  
**UNIT: METRIC**



Shaft diam.	Bore diam.	Width diam	Drawing no.
36	46	7.2	U0094
36	46	10	U1237
36	48	7.5	U6223
36	48	8	U2967
36	51	10	U6227
36	51	11.5	U1209
37	45	5.7	U6201
37	47	5.7	U1778
37	47	10	U0708
38	44.5	4.8	U6195
38	45	5	U6200
38	45	6	U00062
38	45	6.2	U6207
38	45	8	U9156
38	51	10	U9122
40	48	5.7	U0014
40	48	8	U1846
40	49.52	10	U6202
40	50	6	U6582
40	50	7.2	U0093
40	50	8	U1847
40	50	9	U6206
40	50	10	A0647
40	50	13.5	U6214
40	52	8	U2698
40	55	7.2	U0121
40	55	9	U6315
40	55	10	U0459

Shaft diam.	Bore diam.	Width diam	Drawing no.
40	55	11.5	U0087
40	60	10	U9118
40	60	12	U6213
42	50	5.7	U7174
42	50	6	U9145
42	52	7	U7245
42	62	10.5	U6215
42	62	12	U4841
42	62	12.5	U6212
43	52.5	7.6	U7751
44.40	54.03	6.53	U7090
45	53	5.7	U2102
45	53	8	U1185
45	53	10	U1148
45	53	12	U0874
45	55	5.7	U1848
45	55	5.8	U1956
45	55	6	U7094
45	55	6.2	U5731
45	55	7.2	U0015
45	55	7.3	U3201
45	55	10	A0595
45	56	7	U9092
45	57.7	9.5	U3032
45	58	9	U6129
45	60	10	U0174
45	60	11.5	U0954
45	65	10	U0408

E1

# NAK STANDARD

# UIP

APPLICATION: ROD  
MATERIAL: PU  
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
45	65	12	U3522
45	65	13.5	U6415
46	56	7.5	U6216
47	56	9	U3809
48	60	8	U9067
50	60	6	U7368
50	60	6.4	U5732
50	60	7.2	U0016
50	60	8	U5778
50	60	10	U0020
50	60	12	U1530
50	62	8	U5990
50	62.7	10	U6220
50	65	9	U9143
50	65	10	U0115
50	65	11.4	U3195
50	65	11.5	U0086
50	65	12	U9061
50	68	9	U6203
50	68	10	U9099
50	70	10	U6219
50	70	12	U1318
50.80	63.50	9.52	U4507
51	61.4	6.4	U6935
51	66	14	U1787
52	62	10	U0955
53.97	66.67	9.52	U8086
55	63	8	U0088

Shaft diam.	Bore diam.	Width diam	Drawing no.
55	63	12	U2298
55	65	5	U9112
55	65	6	U7361
55	65	7.2	U0537
55	65	7.3	U3209
55	65	10	U0717
55	65	12	U1581
55	65	13.5	U6218
55	67	10	U0282
55	68	10.5	U6130
55	70	10	U0116
55	70	10.6	U0043
55	70	12	U2646
55	75	12	U6249
55	75	13.5	U6284
56	66	6	U5290
56	66	8	U9169
56	66	10	U3065
56	71	10	U1213
56	71	11.5	U2978
56	76	12	U6283
56	76	13.5	U6286
56	76	15	U6285
57.15	69.85	9.52	U0822
58	70.5	10	U8934
58	75	10	U9062
60	68	8	U4819
60	68	11.5	U0401

# NAK STANDARD

# UIP

**APPLICATION: ROD**  
**MATERIAL: PU**  
**UNIT: METRIC**



Shaft diam.	Bore diam.	Width diam	Drawing no.
60	70	6	U9121
60	70	7.2	U0017
60	70	10	U4567
60	70	11.8	U1153
60	70	12	U1197
60	70	13	U0786
60	72	8	U6304
60	72	9	U6303
60	72	10	U9063
60	73	10	U7367
60	75	10	U4528
60	75	11.5	U0089
60	75	12	U1198
60	77	11	U6204
60	80	12	U0028
60	80	12.3	U00173
60	80	13.5	U6302
62	74	13	U6888
63	73	10	U0878
63	73	12	U0090
63	75	8.7	U0461
63	78	10	U0117
63	78	11.5	U1212
63	78	12	U6247
63	83	12	U2616
63	83	13.5	U6246
63	83	15	U4546
65	73	11.5	U0399

Shaft diam.	Bore diam.	Width diam	Drawing no.
65	75	10	U1211
65	75	12	U0091
65	75	13.5	U6245
65	77	9	U6208
65	78	10	U0186
65	80	10	U6242
65	80	12	U3067
65	85	12	U3832
65	85	12.5	U00174
65	85	13.5	U6241
69.85	82.55	9.52	U0824
70	80	6	U7036
70	80	7	U6619
70	80	7.2	U2898
70	80	10	U3302
70	80	12	U0021
70	82	9	U0432
70	83	10	U6185
70	85	9	U6838
70	85	10	U0092
70	85	10.6	U0044
70	85	11.5	U1183
70	85	12	U3206
70	88	13.5	U4066
70	90	12	U1849
70	90	15	U3550
73	82.5	7.5	U6205
75	85	6	U7366

**E1**

# NAK STANDARD

# UIP

APPLICATION: ROD  
MATERIAL: PU  
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
75	85	7.2	U1210
75	85	10	U9091
75	85	12	U3157
75	87	8.6	U1952
75	88	10	U00185
75	90	9	U6551
75	90	9.4	U00178
75	90	10	U2280
75	90	12	U0473
75	95	12	U6270
75	95	13.5	U6269
76	84	7.5	U6887
76	91	14	U1788
76.2	92.07	9.52	U6624
76.2	95.25	9.52	U6622
76.5	89.5	10.5	U00175
80	90	6	U9155
80	90	7.2	U0271
80	90	8	U7360
80	90	10.5	U1184
80	90	12	U0194
80	90	14	U6288
80	92	8.6	U2128
80	92	10	U9692
80	93	10	U0187
80	95	9	U6552
80	95	10	U2699
80	95	11.5	U1200

Shaft diam.	Bore diam.	Width diam	Drawing no.
80	95	12	U0097
80	100	12	U0031
80	100	13.5	U0897
80	100	15	U6287
82	93.5	6.4	U0048
82.55	95.25	9.52	U0823
82.55	98.42	7.93	U6635
85	94	14	U9224
85	95	7.2	U6925
85	95	12	U0198
85	97	8.7	U3212
85	100	9	U6547
85	100	10	U7359
85	100	11	U6924
85	100	11.5	U1851
85	100	12	U2710
85	105	12	U6898
85	105	13.5	U6886
87	95	11.5	U0400
90	100	10	U1839
90	100	11.5	U6923
90	100	12	U0587
90	102	9	U1957
90	102	14	U7854
90	105	8.5	U1852
90	105	9	U7358
90	105	10	U0190
90	105	11.5	U0540

# NAK STANDARD

# UIP

**APPLICATION: ROD**  
**MATERIAL: PU**  
**UNIT: METRIC**



Shaft diam.	Bore diam.	Width diam	Drawing no.
90	105	12	U0189
90	110	12	U0003
90	110	13	U9781
90	110	15	U3422
90	110	17	U4068
91	99	8	U6922
93	104	10.5	U6921
95	105	10	U6906
95	105	12	U0585
95	110	9	U3092
95	110	9.5	U5721
95	110	12	U2700
95	115	12	U3111
98	112	8.5	U7262
100	110	5	U9098
100	110	12	U9066
100	110	14	U6929
100	113	13	U6928
100	115	9	U6398
100	115	10	U6936
100	115	10.5	U0866
100	115	11	U0098
100	115	12	U0193
100	120	11.5	U0041
100	120	12	U0118
100	120	13.5	U6937
100	120	15	U1840
100	125	19	U6733

Shaft diam.	Bore diam.	Width diam	Drawing no.
105	115	10	U6569
105	115	11.5	U6932
105	115	13.5	U6931
105	117	10	U4581
105	120	9.9	U5316
105	120	12	U6938
105	120	15	U5284
105	125	12	U6248
110	120	12	U3405
110	125	9	U2864
110	125	9.6	U1958
110	125	10	U9090
110	125	11	U2637
110	125	12	U0586
110	125	15	U6849
110	130	12	U3158
110	130	14.6	U6885
110	130	15	U2959
110	135	19	U6939
115	130	9	U7334
115	130	11	U3556
115	135	12	U6940
120	130	7.2	U6918
120	130	11.5	U1842
120	130	15	U5603
120	132	10.5	U6919
120	135	11.5	U6902
120	135	15	U0588

**E1**



# NAK STANDARD

# UIP

APPLICATION: ROD  
MATERIAL: PU  
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
120	140	12	U0873
120	140	14.6	U3534
120	140	15	U1192
125	135	13.5	U6920
125	145	12	U4082
125	145	15	U0042
125	150	14	U5980
125	150	19	U6883
128	140	10	U4139
130	140	7.2	U6872
130	140	13.5	U4525
130	145	12	U3406
130	145	14	U6873
130	145	15	U7411
130	150	12	U6281
130	150	15	U1199
135	150	10	U9089
138	155	15	U7780
140	150	11.5	U5906
140	155	12	U2990
140	160	12	U0394
140	160	15	
140	165	19	U6876
141	151	14	U9855
145	157.7	9	U6882
150	160	13.5	U4081
150	170	12	U0899
150	170	13.5	U1951

Shaft diam.	Bore diam.	Width diam	Drawing no.
150	170	15	U0270
152	164	10	U4140
160	170	12	U6875
160	180	12	U6863
160	180	15	U1055
160	185	15	U1843
160	185	19	U8258
160	190	18	U6862
165	185	12	U6190
170	190	12	U6865
170	190	15	U0898
180	192	10	U4141
180	200	12	U3542
180	200	15	U0289
180	200	19	U6857
180	205	15	U4547
180	205	18.2	U7855
185	195	13.5	U8703
190	210	12.5	U6860
190	210	15	U1207
200	220	12	U6859
200	220	13	
200	220	15	U6848
200	225	15	U6858
200	225	16	U6191
200	225	19	U6847
200	230	18	U8272
210	230	15	U6856

**NAK STANDARD**

**UIP**

**APPLICATION: ROD  
 MATERIAL: PU  
 UNIT: METRIC / INCH**



Shaft diam.	Bore diam.	Width diam	Drawing no.
220	240	12	U7816
220	240	15	U4895
230	250	12	U7817

Shaft diam.	Bore diam.	Width diam	Drawing no.
6.500	7.500	0.750	U5682