

UIP2

APPLICATION : ROD
 MATERIAL : PU
 UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
6	13	5	U2941
6	14	5.5	U0949
6	14	5.7	U1441
8	16	5.5	U0950
8	16	5.7	U1442
8	16	8	U2938
8	18	8	U1443
9	19	6	U9710
9.52	19.05	7.93	U4346
10	16	4	U9714
10	16	4.5	U0952
10	16	6	U9718
10	18	5.5	U0951
10	18	5.7	U1598
10	18	8	U3224
10	20	4.5	U2939
10	20	7	U1444
10	20	8	U1445
10	22	7	U3225
11	18	5	U9711
12	18	7	U9697
12	19	6	U9708
12	20	5.5	U1597
12	20	5.7	U3531
12	20	8	U1446
12	22	5.5	U7648
12	22	6	U9704
12	22	7.3	

Shaft diam.	Bore diam.	Width diam	Drawing no.
12	22	8	U1447
12.70	19.05	4.76	U4112
14	19	4	U8931
14	20	6	U9717
14	21	5.1	U4696
14	22	5.5	U1071
14	22	5.7	U1594
14	24	7.3	U1593
14	24	8	U1448
14.28	20.63	4.76	U4118
15	20	4.5	U4361
15	25	8	U1449
15	25	10	U3226
15	26	7.5	U6179
15.4	25.5	6.5	U6132
15.87	22.22	4.76	U4113
15.87	25.40	7.14	U4347
16	22	5	U4416
16	24	5	U7584
16	24	5.5	U1072
16	24	5.8	U1592
16	26	7	U1591
16	26	7.3	U1590
16	26	8	U1638
16	28	8	U1518
16	29	5	U9713
17	23	4	U5199
17	27	5	U8942

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
17.46	23.81	4.76	U4114
18	25	5	U4050
18	26	5.5	U1588
18	26	6	U2903
18	26	6.3	U4051
18	26	6.5	U6133
18	26	8.5	U6134
18	28	7	U3227
18	28	7.3	U1589
18	28	8	U1450
19	27	5	U8939
19.05	25.4	4.76	U4115
19.05	25.40	6.35	U4103
19.05	28.57	7.93	U4348
19.5	27.5	8.5	U6135
20	25	4	U8930
20	26	4.8	U4052
20	28	5.5	U0549
20	28	5.7	U6959
20	30	6	U7641
20	30	7	U1622
20	30	7.3	U5872
20	30	8	U3228
20	30	10	U5278
20	35	10	U1073
20	38	7	U9709
20.63	26.98	4.76	U4104
20.63	26.98	6.35	U4105

Shaft diam.	Bore diam.	Width diam	Drawing no.
22	28	4	U8929
22	28	8	U3229
22	30	5	U8940
22	30	5.7	U2975
22	30	6	U1074
22	32	6	U6172
22	32	7.3	U1603
22	32	8	U3230
22	34	6	U9696
22	35	8	U3231
22	35	10	U1604
22	38	6	U9720
22	40	8	U9721
22.22	28.57	4.76	U4106
22.22	28.57	6.35	U4107
22.23	36	9.53	U1256
23	35	10	U1075
25	31	4.5	U4801
25	31	6	U3724
25	32	5	U9695
25	32	10	U1605
25	33	4.8	U6125
25	33	5.5	U1076
25	33	5.7	U4382
25	33	6.5	U0727
25	33	6.8	U4383
25	33	7	U3233
25	33	7.3	U6186

E1

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
25	33	10	U4054
25	34	6.5	U4628
25	35	7	U1606
25	35	7.3	U1607
25	35	8	U1615
25	35	10	U1616
25	38	10	U3234
25	40	10	U1077
25	43	6.5	U3659
25	45	10	U3235
25	45	12	U0904
25.40	31.75	4.76	U4108
25.4	31.75	6.35	U4109
25.40	34.92	6.35	U4349
25.40	34.92	7.93	U4350
25.4	38.1	9.52	U4199
26	36	10	U7130
26	38	8	U9715
26.98	33.34	4.76	U4110
27	38	7	U9707
28	35.5	5	U4820
28	36	5.7	U00069
28	36	7	U2278
28	36	7.3	U3572
28	36	8	U00129
28	37	6	U9703
28	38	7.3	U1617
28	38	8	U1618

Shaft diam.	Bore diam.	Width diam	Drawing no.
28	38	10	U1619
28	43	11.5	U1078
28.57	34.92	4.76	U4111
28.57	34.92	6.35	U4116
28.57	38.10	7.93	U4351
28.57	41.27	6.35	U4675
30	38	4.8	U6127
30	38	5.7	U5239
30	38	6	U5279
30	38	6.3	U4384
30	38	10	U9706
30	40	6	U8476
30	40	6.5	U7048
30	40	7	U4385
30	40	7.3	U1216
30	40	8	U3236
30	40	10	U0565
30	45	10	U1454
30	50	12	U1079
30.16	39.68	6.35	U4352
31.75	38.1	6.35	U4097
31.75	41.27	4.76	U4680
31.75	41.27	6.35	U4353
31.75	41.27	7.93	U4354
31.75	44.45	6.35	U4674
31.75	44.45	9.52	U4274
32	40	5.5	U9702
32	40	5.8	U9301

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
32	40	6	U9716
32	40	6.7	U1455
32	40	7.2	U6018
32	40	8	U1456
32	40	10	U3238
32	41.5	7.2	U5806
32	41.5	7.9	U3283
32	41.53	7.9	U00280
32	42	7.3	U2874
32	42	10	U1457
32	45	8	U3239
32	45	10	U1080
32	47	10	U1180
32	47	11.5	U1081
34.92	41.27	6.35	U4098
34.92	44.45	4.76	U4679
34.92	44.45	7.93	U4355
34.92	47.62	9.52	U4275
35	42	6	U9701
35	43	5.7	U4429
35	43	5.8	U8092
35	43	7.2	U5994
35	45	6	U5611
35	45	7	U3472
35	45	7.3	U5560
35	45	8	U4055
35	45	10	U1458
35	50	10	U3217

Shaft diam.	Bore diam.	Width diam	Drawing no.
36	44	5.7	U5559
36	44	6.3	U4681
36	44	7.6	U00148
36	46	7	U1459
36	46	7.3	U1620
36	46	7.5	U3420
36	46	10	U1460
36	51	10	U1461
36	56	12	U3918
36.51	46.04	7.93	U4356
37	47	8	U1082
37	47	10	U5502
38	48	5.8	U6609
38	48	8	U4786
38	55	10	U1083
38	58	10	U3218
38.10	44.45	6.35	U4099
38.10	47.62	4.76	U4678
38.10	47.62	6.35	U4357
38.10	47.62	7.93	U4358
38.1	47.62	9.52	U7085
38.10	47.62	9.52	U4359
38.1	50.8	6.35	U4673
38.1	50.8	9.52	U4276
38.10	53.97	9.52	U4335
40	48	5.7	U4057
40	48	8	U3564
40	48	13.5	U9554

E1

UIP2

APPLICATION : ROD
 MATERIAL : PU
 UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
40	49.5	9.5	U4056
40	50	6	U8599
40	50	7	U9725
40	50	7.3	U1463
40	50	8	U6610
40	50	10	U1016
40	55	8	U6611
40	55	10	U1317
40	55	11.4	U5532
40	55	11.5	U1621
40	60	10	U3220
40	60	11.5	U5280
40	60	12	U1608
41.27	47.62	6.35	U4100
41.27	50.80	7.14	U4421
41.27	50.80	7.93	U4422
41.27	50.80	9.52	U4423
41.27	53.97	9.52	U4284
42	48	6	U4430
42	50	5.7	U6101
42	50	11.5	U6001
42	52	10	U1464
42	52.2	9	U00163
42	53	9	U6022
43	53	7.3	U8606
44.45	50.80	6.35	U4101
44.45	53.97	6.35	U4424
44.45	53.97	7.93	U4432

Shaft diam.	Bore diam.	Width diam	Drawing no.
44.45	53.97	9.52	U4433
44.45	57.15	6.35	U4672
44.45	57.15	9.52	U4285
44.45	57.15	12.7	U4286
45	53	5.6	U3561
45	53	6.3	U8269
45	53	11.5	U4039
45	55	6	U9724
45	55	7	U1466
45	55	7.3	U1609
45	55	10	U1950
45	55	11.5	U6002
45	57.7	9.5	U1610
45	60	10	U1084
45	60	11.5	U1611
45	65	10	U3242
47	56	9	U7250
47.62	57.15	9.52	U4434
47.62	60.32	9.52	U4287
48	56	11.5	U6003
48	56	12	U6004
48	60	8	U9699
48	63	10	U3276
48	68	12	U1468
50	57	10	U6021
50	58	6	U7587
50	58	10	U8155
50	58	11.5	U6006

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
50	58	13	U7059
50	60	6	U8490
50	60	7.3	U2381
50	60	8	U9712
50	60	10	U1085
50	62	10	U1208
50	62.7	9.5	U4041
50	63	10	U3243
50	65	6	U9722
50	65	9.5	U4042
50	65	10	U1470
50	65	11	U4040
50	65	11.5	U1471
50	65	12	U3244
50	65	15.5	U3539
50	70	12	U1086
50	70	14	U6007
50.80	57.15	6.35	U4102
50.80	60.32	6.35	U4435
50.8	60.32	7.93	U4436
50.8	60.32	9.52	U4360
50.80	63.50	6.35	U4676
50.8	63.5	7.93	U4288
50.8	63.5	9.52	U4289
50.8	66.67	7.93	U4670
50.80	66.67	12.7	U4336
50.8	69.85	15.87	U4300
51	66	14	U3245

Shaft diam.	Bore diam.	Width diam	Drawing no.
52	62	10	U1087
52	64	10	U7282
53.97	63.50	9.52	U4437
55	62.5	9	U6020
55	63	11.5	U6008
55	64	15	U0858
55	65	6.7	U7179
55	65	7.3	U6960
55	65	8	U9475
55	65	9	U6009
55	65	10	U1050
55	65	12	U0652
55	68	10	U3926
55	70	9	U5227
55	70	10	U1088
55	70	12	U1472
55	75	12	U1089
56	66	7.3	U6961
56	66	10	U1090
56	71	10	U3837
56	71	11.4	U6957
56	71	11.5	U2811
56	71	12.5	U6544
56	76	12	U0979
57	66	13	U7681
57	70	10	U3929
57.1	66.7	10	U6079
57.1	69.8	10	U6091

E1

UIP2

APPLICATION : ROD
 MATERIAL : PU
 UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
57.15	66.67	9.52	U4446
57.15	69.85	9.52	U4277
58	68	11.5	U6019
60	68	6.3	U8268
60	68	11.5	U4053
60	68	13	U3658
60	68	13.5	U4156
60	70	7.3	U00070
60	70	7.5	U4669
60	70	10	U1091
60	70	11.5	U1612
60	70	12	U0653
60	72	10	U1168
60	73	10	U3925
60	75	9	U5228
60	75	10	U0980
60	75	11.4	U5354
60	75	11.5	U6024
60	75	12	U2995
60	75	15.5	U3808
60	80	10	U4024
60	80	12	U1092
60.32	69.85	9.52	U4438
60.32	73.02	7.54	U2546
60.32	73.02	9.52	U4290
63	73	6	U5229
63	73	12	U1243
63	75	10	U7017

Shaft diam.	Bore diam.	Width diam	Drawing no.
63	76	10	U9723
63	78	10	U3791
63	78	11.4	U6956
63	78	11.5	U1613
63	78	12	U9772
63	83	12	U2891
63	83	13.5	U0286
63.50	73.02	7.93	U4401
63.50	73.02	9.52	U4402
63.5	76.2	6.35	U4677
63.5	76.2	9.52	U3921
63.5	76.2	10	U6088
63.50	79.37	12.7	U4337
63.5	82.55	15.87	U4301
64	72	10	U8157
65	73	11.5	U6023
65	73	13	U3657
65	75	7	U0450
65	75	10	U6051
65	75	11.5	U6045
65	75	12	U2059
65	77.7	9.5	U4043
65	78	10	U3557
65	80	9	U5230
65	80	10	U1479
65	80	12	U1480
65	85	10	U3248
65	85	12	U1093

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
66	80	10.5	U6057
66.67	76.20	9.52	U4403
66.67	79.37	12.7	U4291
66.67	82.55	15.87	U4338
67	75	11.5	U6046
67	75	13	U7753
68	78	12	U7352
68	80	10	U6620
69.8	82.5	10	U6058
69.85	79.37	9.52	U4269
69.85	82.55	9.52	U7546
69.85	85.72	9.52	U4339
69.85	85.72	12.7	U4340
69.85	85.73	12.7	U1493
69.85	88.9	15.87	U4302
70	77.5	9	U6059
70	78	11.5	U6047
70	78	12	U1825
70	79	13	U6060
70	79	15	U0701
70	80	8	U5669
70	80	10	U3250
70	80	11.5	U6048
70	80	12	U1094
70	83	10	U5037
70	85	10	U3444
70	85	11.4	U6955
70	85	11.5	U2448

Shaft diam.	Bore diam.	Width diam	Drawing no.
70	85	12	U0536
70	90	10	U4025
70	90	12	U1095
70	90	15	U1096
70	90	18	U3252
73	82.4	7.3	U6080
73.02	82.55	9.52	U4404
75	83	6.3	U8267
75	83	11.5	U3933
75	85	8.7	U00237
75	85	10	U3253
75	85	10.5	U6049
75	85	11.5	U1599
75	85	12	U0623
75	86	10	U8243
75	87	12.5	U8170
75	90	9	U5554
75	90	10	U1481
75	90	12	U1097
75	95	12	U5038
76	84	7.5	U8357
76.20	85.72	9.52	U4405
76.2	88.90	9.52	U4292
76.2	88.9	10	U6094
76.2	88.9	15.87	U4293
76.2	92.07	12.7	U4329
76.2	95.25	12.7	U5893
76.2	95.25	15.87	U4303

E1

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
77	86	14	U6090
77	87	12	U8382
78	86	10	U8158
78	86	11.5	U1482
78	86	13.5	U4157
78	88	12	U6053
78	88	14	U7483
78	88	15	U8358
78	90	12.5	U6093
79.37	88.90	15.87	U4406
79.4	88.9	10	U6089
80	88	8	U9597
80	88	11.5	U6052
80	90	6	U5238
80	90	11.5	U8061
80	90	12	U1483
80	91	13.5	U9553
80	93	10	U5237
80	95	9	U5236
80	95	10	U1484
80	95	11.4	U6954
80	95	11.5	U2892
80	95	12	U1098
80	100	10	U3255
80	100	12	U1485
80	100	15	U1099
82.5	97.5	12.5	U6152
82.55	92.07	9.52	U4407

Shaft diam.	Bore diam.	Width diam	Drawing no.
82.55	92.07	14.28	U4408
82.55	95.3	9.52	U3840
82.55	98.42	12.7	U4330
85	92.5	9	U6173
85	93	10	U5022
85	93	11.5	U4044
85	94	15	U0702
85	95	10	U9598
85	95	12	U9739
85	95	12.5	U6543
85	100	9	U5488
85	100	10	U5240
85	100	11.4	U5536
85	100	11.5	U6153
85	100	12	U1126
85	105	12	U1100
86	98	10	U6625
87	95	13	U3656
87	96	13	U7674
88.90	98.42	9.52	U4409
88.9	101.6	7.93	U4294
88.9	101.6	9.52	U4193
88.9	101.6	10	U6174
88.90	104.77	12.7	U4315
88.9	107.95	15.87	U4304
88.90	107.95	15.9	U1492
90	98	11.5	U6154
90	98	12	U1826

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
90	100	6	U7586
90	100	7.5	U6155
90	100	9	U6156
90	100	10	U4096
90	100	11.5	U1486
90	100	12	U3213
90	102	12	U7062
90	105	10	U5039
90	105	11.5	U2737
90	105	12	U1101
90	110	10	U4027
90	110	12	U1102
91	99	7.5	U8359
92.07	104.77	9.52	U4194
93	101	10	U8159
93	101	11.5	U6120
93	105	10	U8424
95	103	11.5	U6121
95	105	9	U6136
95	105	11.5	U8060
95	105	12	U1103
95	107	10	U8233
95	107	12.5	U8171
95	110	9	U5241
95	110	10	U5242
95	115	12	U1054
95.25	104.77	9.52	U4410
95.25	107.95	9.52	U4195

Shaft diam.	Bore diam.	Width diam	Drawing no.
95.25	107.95	12.7	U4196
95.25	107.95	14.28	U4197
96	104	12	U7520
97	105	11.5	U6150
97	105	13.5	U4158
97	106	14	U6175
97	107	15	U7482
99	109	12.5	U6141
99	109	14	U6990
99	109	15	U8353
100	108	11.5	U6142
100	108	12	U3072
100	109	15	U0703
100	110	10.5	U6177
100	110	11.30	U0622
100	110	11.5	U6143
100	110	14	U4091
100	112	14	U7233
100	115	9	U5252
100	115	10	U5255
100	115	11	U9478
100	115	11.4	U5515
100	115	12	U1059
100	120	12	U1060
100	120	14.5	U1487
100	120	14.6	U6958
100	120	15	U1061
100	125	15	U1062

E1

UIP2

APPLICATION : ROD
 MATERIAL : PU
 UNIT: METRIC



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
101.6	111.12	9.52	U4198
101.6	114.3	7.93	U4278
101.6	114.3	9.52	U4279
101.6	114.3	14.28	U4280
101.6	117.47	9.52	U4331
101.60	117.47	12.7	U4332
101.6	120.65	12.7	U4295
101.6	120.65	15.87	U4296
105	113	11.5	U6144
105	113	13.5	U6145
105	115	11.5	U4341
105	120	9.9	U1488
105	125	10	U3215
105	125	15	U3216
106	118	10	U6626
107	115	7.5	U8352
107.95	127	15.87	U4297
110	118	10	U8160
110	118	11.5	U6146
110	120	11.5	U8164
110	120	12	U1063
110	125	9	U5253
110	125	12	U5281
110	125	15	U1064
110	130	10	U5042
110	130	12	U1065
110	130	13	U5254
110	130	14.5	U2575

Shaft diam.	Bore diam.	Width diam	Drawing no.
110	130	15	U1066
110	135	15	U4045
112	121	13	U7668
112	122	10	U00271
112	122	10.5	U6158
112	125	15	U7063
113	123	9	U6159
113	125	10	U8426
114.3	127	9.52	U4281
114.3	127	12.7	U5894
114.3	130.17	12.7	U4333
114.30	130.17	15.87	U4334
114.3	133.35	15.87	U4298
115	123	11.5	U6182
115	124	15	U0704
115	125	12	U1067
115	125	14	U6160
115	130	10.5	U6161
115	130	15	U3257
115	140	15	U1068
116	126	11.5	U8063
116	126	15	U7481
117	126	14	U6178
117	130	12	U8242
117	131	12.5	U8172
117.47	133.35	15.87	U4342
118	126	13.5	U1489
118	133	9	U5456

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
120	128	11.5	U6866
120	130	11.50	U0625
120	130	11.5	U4526
120	130	12	U6162
120	130	14	U3654
120	130	15	U8360
120	135	9	U5454
120	135	10	U9474
120	135	15	U1490
120	140	12	U1069
120	140	14.6	U5514
120	140	15	U1070
120.65	130.17	9.52	U4411
120.65	130.17	15.87	U4400
121	135	9	U6187
125	133	11	U9759
125	133	11.5	U6157
125	135	10	U6169
125	135	13.5	U4092
125	137	14	U7232
125	145	12	U3841
125	145	14.6	U5513
125	145	15	U2200
125	150	15	U3258
125	155	18	U2201
126	134	7.5	U8361
127	139.7	9.52	U4282
127	139.7	14.28	U4283

Shaft diam.	Bore diam.	Width diam	Drawing no.
127	142.87	12.7	U4344
127	146.05	15.87	U4299
128	136	11.5	U6170
128	140	10	U6627
129	137	10	U8161
129	139	11.5	U8165
130	138	11.5	U6171
130	140	11.5	U7345
130	140	12	U9533
130	140	13.5	U4093
130	145	12	U7499
130	150	12	U3919
130	150	15	U1113
130.17	142.87	14.28	U4317
130.17	152.4	12.7	U4345
131	150	13	U6188
132	142	8.7	U3986
132	142	15	U0859
133.35	146.05	15.7	U7512
135	143	11.5	U6164
135	145	11.5	U8037
135	145	12	U7504
135	145	15	U7480
135	147	10	U8425
135	148	15	U7064
135	150	11.5	U4047
135	150	15	U6165
136.52	149.22	15.87	U4318

E1



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
136.52	152.40	15.87	U4343
137	146	14	U6189
139.70	152.40	9.52	U4320
139.70	152.40	14.28	U4319
139.70	155.57	7.93	U4671
139.7	158.75	15.87	U4305
140	148	11.5	U6166
140	150	11.5	U4527
140	150	12	U3655
140	155	12	U0624
140	160	12	U3842
140	160	14.6	U5537
140	160	15	U2204
140	165	15	U2205
140	170	18	U1125
141	151	5	U8362
141	151	12.5	U6167
141	151	14	U6989
141	151	15	U8398
142	156	12	U8238
142	156	12.5	U8173
142.87	155.57	9.52	U4321
143	151	11.5	U6881
143	151	13.5	U4159
145	153	11.5	U8102
145	155	12	U9636
145	155	12.5	U6237
145	160	12	U6168

Shaft diam.	Bore diam.	Width diam	Drawing no.
145	160	14.9	U9761
149	159	11.5	U8166
150	160	13.5	U4094
150	160	15	U0860
150	162	14	U7231
150	170	14.5	U4048
150	170	15	U1112
150	180	15	U3260
150	180	18	U1502
151	159	10	U8162
152	162	12	U9535
152	167	12	U6628
152.40	165.10	14.28	U4322
152.4	171.45	15.87	U4306
154	164	11.5	U8015
155	165	11.5	U7347
155	165	15	U7484
160	168	11.5	U0471
160	170	11.5	U5012
160	170	12	U6719
160	175	18	U7065
160	180	15	U3261
160	185	15	U1116
160	185	18.2	U1503
160	190	18	U2919
162	172	14	U6985
162	172	15	U8363
165	177	10	U8427

NAK STANDARD

UIP2

APPLICATION : ROD
MATERIAL : PU
UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
165	185	12	U5035
165.1	184.15	15.87	U4307
169	179	11.5	U8167
170	180	15	U7012
170	190	15	U2072
170	200	18	U1114
171	179	13.5	U4169
171.45	184.15	15.7	U7449
175	185	11.5	U7977
175	185	12	U7498
175	185	15	U7470
175	187	15	U7234
176	186	10	U8163
177.80	190.50	14.28	U4326
177.8	196.85	15.87	U4308
180	190	10	U4170
180	190	11.5	U7346
180	192	14	U6736
180	195	12.5	U7469
180	200	15	U1505
180	205	15	U2915
180	205	19	U1117
180	210	18	U1506
183	193	14	U6988
183	193	15	U8364
185	195	12	U7964
185	195	13.5	U7669
185	197	15	U7091

Shaft diam.	Bore diam.	Width diam	Drawing no.
188	200	10	U8428
190.50	203.20	9.52	U4325
191	201	11.5	U8168
195	205	12	U9635
196	206	15	U7475
196.85	215.90	15.87	U4309
197	207	11.5	U7967
200	210	12	U9534
200	212	12	U7500
200	220	10.5	U8644
200	220	15	U2987
200	225	16	U5036
200	225	19	U1119
200	230	18	U1508
203.20	215.90	9.52	U4323
203.20	215.90	14.28	U4324
203.2	222.25	15.87	U4310
205	220	12.5	U4049
207	217	14	U6987
207	217	15	U8365
210	225	18	U6737
210	230	15	U2988
210	240	18	U1121
212	222	12	U7963
214	224	11.5	U8169
215.90	228.60	9.52	U4327
220	250	18	U1120
225	245	15	U00108

E1



E1

Shaft diam.	Bore diam.	Width diam	Drawing no.
228.6	241.30	14.28	U4328

Shaft diam.	Bore diam.	Width diam	Drawing no.
0.375	0.625	0.210	U7072
0.500	0.750	0.210	U7073
0.750	1.000	0.250	U6400
1.000	1.250	0.250	U2018
1.122	1.650	0.375	U1257
1.125	1.375	0.250	U5473
1.230	1.750	0.250	U2657
1.250	1.500	0.187	U6042
1.250	1.500	0.250	U5474
1.250	1.625	0.187	U6401
1.250	1.625	0.375	U7039
1.250	1.750	0.250/0.275	U2538
1.375	1.750	0.187	U6402
1.437	1.812	0.312	U6403
1.500	1.750	0.187	U6043
1.500	1.875	0.187	U6404
1.500	2.000	0.250	U6405
1.500	2.125	0.375	U6406
1.625	2.125	0.375	U6407
1.750	2.000	0.250	U6408
1.750	2.250	0.250	U6409
1.750	2.250	0.500	U6410
1.750	2.254	0.394	U5763
1.875	2.375	0.375	U6411
2.000	2.500	0.250	U6412
2.000	2.625	0.312	U6439
2.125	2.500	0.313	U8614
2.125	2.625	0.375	U00225

