


NAK STANDARD

**UNR**

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
3.17	7.93	3.38	U8119
4	8	3	U00273
4	12	4	U8117
4.76	9.53	2.38	U8118
5	12	5	U1797
5.5	8.6	2.8	U1684
6	10	4	U5174
6	12	4	U1520
6	12	4	U1520
6	16	5	U8113
6	16	8	U9777
6.35	11.11	3.17	U7443
7.93	12.7	4.76	U7444
8	13	5	U5695
8	14	4	U8379
8	14	4.5	U5175
8	16	6	U8114
8	18	5	U8115
8	18	7.5	U8328
8	18	8	U9039
9	17	4	U5068
9	18	5	U0254
10	15	3	U5115
10	18	5	U0386
10	18	5	U0386
10	18	6	U5684
10	18	6	U5684
10	20	5	U8590

Shaft diam.	Bore diam.	Width diam	Drawing no.
10	20	8	U9847
10	25	7.5	U5070
10	25	8	U9418
10.1	14.9	3	U5114
11	17.46	4.76	U7670
12	18	4	U00119
12	18	5	U9408
12	18	6	U00120
12	19	4	U1138
12	19	4	U1138
12	19	5	U9726
12	20	4	U8116
12	20	5	U5916
12	20	7	U9038
12	22	5	U6040
12	22	7	U9040
12	22	10	U8658
12	24	6	U7191
12.7	19	3.2	U9017
13	23	5	U5069
13	25	6	U5071
14	22	5	U1802
14	22	5	U1802
14	22.6	5	22886
14	24	5	U8235
14	26	5	U00132
14	26	6	U5072
15	25	5	U7446

E3


# NAK STANDARD

# UNR

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



E3

Shaft diam.	Bore diam.	Width diam	Drawing no.
15	25	8	U6566
15	30	8	U9417
15	35	10	U7456
16	22	4	U9643
16	24	4	U8231
16	24	5	U1803
16	24	5	U1803
16	24	5.5	U7445
16	24	5.5	U7445
16	26	5	U7622
16	26	7	U2073
16	26	8	U9398
16	28	5	U00131
16	28	6	U8589
17	25	4	U7461
17	27	5	U9406
18	24	6.2	U5747
18	25	5	U1937
18	26	4	U6041
18	26	5	U0745
18	26	5.5	U6962
18	28	5.3	U5748
18	28	6	03855
18	28	6	03855
18	28	8	U1990
18	40	10	U7628
19	25	5	U7300
19	25.5	5.3	U8313

Shaft diam.	Bore diam.	Width diam	Drawing no.
19	27	5	U1936
19.05	31.76	6.35	U7455
20	26	5	U00121
20	26	6.5	U8377
20	27	5	U9404
20	28	4	U7507
20	28	5	U0716
20	30	5	U8055
20	30	7	U9753
20	30	8	U1991
20	30	10	
20	32	5	U7508
20	32	6	U7514
20	32	7	U9037
20	35	10	U1992
20	40	10	U7192
20	40	12	U1993
22	30	5	U1568
22	30	6.5	U6520
22	31	5	U3827
22	32	5	U1994
22	32	6	U1995
22	32	7	U9427
22	32	8	U3009
22	40	12	U1996
22.4	30	5	U4603
22.4	30	5	U4603
22.4	32.4	8	U1938


NAK STANDARD

**UNR**

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
22.7	30.5	5	U9982
23	30.5	5	U9965
23.5	31.5	5	U1701
24	32	4	U7462
24	34	5	U8368
25	33	4	U8236
25	33	5	U0715
25	33	5.5	U9399
25	35	4.76	U8961
25	35	5	U5811
25	35	7	U9401
25	35	8	U1997
25	37	6	U7457
25	38	7	U9751
25	38	10	U1998
25	40	10	U2385
26	38	6	U7458
27	40	8	U8056
28	34	5	U9752
28	34	6	U9750
28	34	7	U9773
28	35.5	5	U1934
28	36	5	U00122
28	36	5.5	U00128
28	38	5	U3811
28	38	7	U9428
28	40	6	U8237
28	40	9.5	A0307

Shaft diam.	Bore diam.	Width diam	Drawing no.
28	40	10	U7278
28	48	10	U7530
30	37	7	U9403
30	38	5.4	U9729
30	38	7	U00123
30	39	5.5	U8432
30	40	5	U7459
30	40	6	U0713
30	40	6	U0713
30	40	6	U0713
30	40	6	U0713
30	40	7	U8519
30	40	8	U8520
30	42	8	U9429
30	42	10	U5087
30	43	9	U8423
30	43	10	U4038
30	45	10	U1933
30	50	10	U8253
31.5	41.5	6	U9485
32	40	3.1	U0075
32	40	4	U8246
32	40	5	U7810
32	40	8	U9409
32	41	6	U8627
32	42	7	U7391
32	48	10	U6731
32	52	10	U7451

**E3**


# NAK STANDARD

# UNR

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



E3

Shaft diam.	Bore diam.	Width diam	Drawing no.
35	45	5	U7460
35	45	6	U2106
35	45	6.1	U0562
35	45	7	U7246
35	45	8	U8521
35	45	10	U1867
35	47	6	U8234
35	50	10	U1910
35.5	45	6	U8125
37.79	49.47	6.98	U8960
38	50	6	U7471
40	50	5	U4138
40	50	6	U0714
40	50	7	U7450
40	50	8	U8504
40	50	10	U8503
40	52	6	U8073
40	52.5	8.3	U5627
40	52.75	8.3	U1819
40	55	10	U1911
40	55	11.5	A0308
40	60	10	U7453
40	60	12	U2001
42	55	8	U1939
44	56	6	U7624
45	55	5	U7452
45	55	6	U1804
45	55	7	U8505

Shaft diam.	Bore diam.	Width diam	Drawing no.
45	55	8	U8508
45	55	10	U1796
45	56	7	U00071
45	57	6	U7618
45	57	8	U9410
45	57	10	U9411
45	60	10	U1912
45	65	12	U1999
46	56	5	U7531
46	58	6	U8252
47.63	63.50	7.43	U8244
48	60	6	U8245
49.21	69.85	9.52	U8240
50	60	6	U1389
50	60	7	U8507
50	60	10	U8506
50	63	8	U3866
50	63	10	U8515
50	65	7.5	U8369
50	65	10	U1913
50	70	12	U2000
52	62	7	U7620
52	72	10	U8250
53	63	5	U7432
53	63	6	U1390
53	63	6	U1390
53	65	6	U7433
54	70	12	U5073


NAK STANDARD

UNR

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



Shaft diam.	Bore diam.	Width diam	Drawing no.
55	65	6	U1818
55	70	9	U3121
55	70	10	U8517
55	70	12	U8513
56	66	6	U8329
57	68	6.5	U8283
57	73.5	8	U5551
60	70	6	U1391
60	70	7	U8512
60	75	7.5	U8374
60	75	10	U8577
60	75	12	U5074
60	80	8	U9416
60	80	10	U5081
60	80	12	U1808
63	73	6	U00124
65	75	5	U8372
65	75	6	U1805
65	78	10	U9414
65	80	7.5	U8241
65	80	10	U1935
65	85	10	U4909
65	85	12	U2234
70	80	5	U6952
70	80	6	U1392
70	80	8	U9779
70	83	9	U00125
70	85	9	U1813

Shaft diam.	Bore diam.	Width diam	Drawing no.
70	85	10	U8576
70	85	12	U8578
70	90	10	U7497
70	90	12	U1809
70	95	9	U8514
70	95	10	U8579
70	95	12	U8580
71	80	6	U2376
75	85	6	U1806
75	95	10	U7426
75	100	15	U7415
80	90	6	U1807
80	95	9	U1814
80	95	10	U8586
80	95	12	U8585
80	100	10	U7427
80	100	12	U1810
82	102	10	U8483
85	95	6	U1393
85	95	7	U8511
85	100	7.5	U7434
85	100	9	U1895
85	100	12	
85	105	12	U6567
88.7	101	6.5	U7284
90	100	6	U7623
90	100	7	U7763
90	105	9	U3122

E3


# NAK STANDARD

# UNR

APPLICATION: ROD & PISTON

MATERIAL: NBR / FKM

UNIT: METRIC



E3

Shaft diam.	Bore diam.	Width diam	Drawing no.
90	110	10	U7496
90	110	12	U1811
90	110	15	U9689
90	120	15	U7606
95	110	9	U6640
95	115	12	U8523
100	115	9	U8593
100	120	12	U1812
100	120	15	U8532
100	125	12	U7417
100	125	15	U9690
101.6	120.65	11.11	U7735
105	120	9	U3728
105	125	15	U7332
106	120	8.5	U2730
110	125	9	U2377
110	130	12	U8584
112	125	8.5	U1394
115	130	9	U4601
115	135	12	U8522
118	133	9	U8551
120	135	9	U8866
120	140	12	U1815
120	140	15	U1816
120	150	15	U7490
125	140	9	U3727
125	150	19	U3536
127	146.05	9.53	U8587

Shaft diam.	Bore diam.	Width diam	Drawing no.
130	145	9	U3726
130	150	12	U9415
130	150	15	U8554
130	160	15	U7418
133.35	158.8	12.7	U7495
135	150	10	U8555
135	155	15	U9774
136	150	8.5	U1395
140	155	9	U4600
140	160	12	U00127
140	170	18	U8699
145	160	9	U3725
145	175	15	U8575
149	160	9	U7764
150	170	12	U8552
150	180	15	U7419
155	170	9	U8556
155	180	16	U8550
155	200	35	U1567
160	185	15	U00126
160	200	20	U7420
165	180	9	U7645
165	185	16	U9749
170	190	12	U8868
175	190	12	U9780
175	200	19	
180	200	12	U1817
180	200	14	U8121


# NAK STANDARD

# UNR

**APPLICATION: ROD & PISTON**

**MATERIAL: NBR / FKM**

**UNIT: METRIC / INCH**



Shaft diam.	Bore diam.	Width diam	Drawing no.
180	205	16	U8544
190	210	12	U8548
190	215	15	U9081
195	215	12	U8867
200	220	12	RD084
200	220	12	RD084
200	220	16	U8549
200	225	15	U0720
200	225	15	U0720
200	240	20	U7416
210	230	12	U8547
210	250	20	U7424
220	240	12	U8546
220	260	20	U7425
225	250	16	U9775
225	250	19	RD085
225	250	19	RD085
230	250	12	U5927
235	250	16	U9770
240	260	16	U9778
245	270	16	U9776
250	270	12	U8545
280	300	14	U7193
280	300	16	U9771
300	330	19	
300	332	24	

Shaft diam.	Bore diam.	Width diam	Drawing no.
0.625	0.875	0.156	
1.312	1.625	0.165	U8440
1.313	1.625	0.157	A0318

E3